



SK. Boxes for thermocouples / RTD

Protection mode:

Type of protection: II 2 GD - EEx d IIC
 Class of temperature: T6 / 85°C
 Protection degree: IP 67
 Certificates: INERIS 01 ATEX 0023
 INERIS 01 IEC 0001



Description:

The SK. boxes are circular shaped and have screwed cover.

Boxes for thermocouple/RTD or other thermometer element, electronic transmitters or other equivalent devices.

Technical data:

Ambient temperature:
 -20 / +60 °C


Materials:

Body and cover: aluminium alloy.
 Screws: stainless steel.
 o-ring: neoprene.

On request:

External epoxy painting.
 Thermocouple.
 Captive cover.
 Inhibiting treatment for salt mist.

Technical drawing:



Dimensions table:

Type		Entries ISO 7/1 n°	Dimensions (mm)			
			Ø	A	B	Ø C
	SK/B 16	2	1/2"	100	75	90
	SK/B 26	2	3/4"	100	75	90
	SK/D 16	3	1/2"	100	75	90
	SK/D 26	3	3/4"	100	75	90
	SK/M 16	3	1/2"	100	75	90
	SK/M 26	3	3/4"	100	75	90
	SK/W 16	4	1/2"	100	75	90
	SK/W 26	4	3/4"	100	75	90
	SK/J 16	5	1/2"	100	75	90
	SK/J 26	5	3/4"	100	75	90